

NV2D_A

2-port terminal control valves PN16

Product features

DN10, DN15, DN20, and DN25 (straight) ¹⁾

Medium: water 5 – 95 °C (VDI 2035)

Kvs: fixed (_A, _AA) or adjustable (_AS)

Chrome-plated brass CW617N

Threaded

With self-sealing tailpiece or tailpiece with external thread ²⁾

Types

Type	DN [inch]	Kvs [m³/h]	In	Out
NV2D10A	3/8"	1,26	3/8" F	3/8" M
NV2D15A	1/2"	1,26	1/2" F	1/2" M

BELPARTS Group NV

Wingepart 4
3110 Rotselaar
Belgium

T +32 (0)16 29 93 00
E info@dc.belparts.wphontwikkel.nl

belparts.com

1 / 3

All rights reserved © 2026 BELPARTS Group NV
Subject to modifications without prior notice.

Type	DN [inch]	Kvs [m³/h]	In	Out
NV2D20A	¾"	1,40	¾" F	¾" M
NV2D25A	1"	2,95	1" F	1" M
NV2D10AS	⅜"	1,20 ³⁾	⅜" F	⅜" M
NV2D15AS	½"	1,20 ³⁾	½" F	½" M
NV2D20AS	¾"	1,20 ³⁾	¾" F	¾" M
NV2D15AA	½"	1,26	½" F	½" M ²⁾
NV2D20AA	¾"	1,40	¾" F	¾" M ²⁾

¹⁾Also available as angled version, type NVE2D..., on request

²⁾NV2D_A and NV2D_AS: self-sealing tailpiece | NV2D_AA: tailpiece with male thread

³⁾Adjustable Kvs, see specifications

Specifications

Medium

Water 5 – 95 °C (VDI 2035)

Kvs settings [m³/h]

NV2D_A: fixed

NV2D_AA: fixed

NV2D_AS: adjustable (0,23 – 0,44 – 0,50 – 0,59 – 0,64 – 0,76 – 0,91 – 1,02 – 1,2)

Tailpiece design

NV2D_A and NV2D_AS with self-sealing tailpiece

NV2D_AA tailpiece with external thread

Material

Chrome-plated brass CW617N

DN sizes

DN10, DN15, DN20, and DN25 (straight).

Angle model type NVE2D_ available on request

Nominal pressure class

BELPARTS Group NV

Wingepart 4
3110 Rotselaar
Belgium

T +32 (0)16 29 93 00

E info@dc.belparts.wphontwikkel.nl

belparts.com

2 / 3

All rights reserved © 2026 BELPARTS Group NV
Subject to modifications without prior notice.

PN16

Questions or request a quote for NV2D_A?

Our experts can help you with technical questions, product selection and provide a quotation for your project.

Ask a questionRequest a quote



+32 (0)16 29 93 00

BELPARTS Group NV

Wingepart 4
3110 Rotselaar
Belgium

T +32 (0)16 29 93 00
E info@dc.belparts.wphontwikk.nl

belparts.com

3 / 3

All rights reserved © 2026 BELPARTS Group NV
Subject to modifications without prior notice.